according to Regulation (EU) 2020/878 of 18 June 2020

# **Interior Quick Detailer**

Date of compilation: 31.05.2021 Revision: Page: 1/9

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Product name: Interior Quick Detailer

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses: car care product Uses advised against: undefined

# 1.3. Details of the supplier of the safety data sheet

Manufacturer:

LIPORT Wojciech Liszega ul. Krasickiego 2a/73 81-385 Gdynia

Production facility:

Leśna 8

83-010 Straszyn

# 1.4. Emergency telephone number

European emergency number: 112

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008 (CLP)

The product is not classified as hazardous according to Regulation (EC) 1272/2008

## 2.2. Label elements

Labeling according to Regulation (EC) No 1272/2008

Signal word None
Pictograms None

# **Hazard statements**

None

# **Precautionary statements**

General

P102 Keep out of reach of children.

Prevention None Response None Storage

None

Removal

None

according to Regulation (EU) 2020/878 of 18 June 2020

# **Interior Quick Detailer**

Date of compilation: 31.05.2021 Revision: Page: 2/9

### **Supplemental information**

**EUH210** Safety data sheet available on request.

### Ingredients content according to regulation 648/2004 / EC

**Perfumes** 

preservation agents (2-BROMO-2-NITROPROPANE-1,3-DIOL, METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE)

#### 2.3. Other hazards

This mixture does not contain substances that meet the criteria for PBT or vPvB in accordance with Annex XIII.

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

#### 3.2. Mixtures

Name of substance	Identifier	Classification 127	2/2008	% weight
propan-2-ol <sup>[2]</sup> [isopropanol]	Index: 603-117-00-0 CAS: 67-63-0	Flam. Liq. 2 Eye Irrit. 2	H225 H319	≤ 0,5
	EC: 200-661-7	STOT SE 3	H336	
	Reg. no. REACH:			
	01-2119457558-25-XXXX			

## Notes

The full meaning of the risk phrases H included in the chapter 16

[1] Specific concentration limits

\_

 $\stackrel{[2]}{\dots}$  Substances for which there are national occupational exposure limit values

[3] Substances for which there are Union workplace exposure limits

### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

# Inhalation

Remove person to fresh air and keep comfortable for breathing.

Ensure warmth and calm.

Provide medical assistance if necessary.

# Ingestion

Do not induce vomiting.

Rinse mouth.

If unconscious – do not give the person anything to swallow.

Transport the injured person to a hospital if necessary.

### Eye contact

Remove contact lenses.

Rinse contaminated eyes with lukewarm water for 10-15 minutes with the eyelids rolled back. Avoid strong water stream due to the risk of mechanical damage to the cornea.

Provide medical assistance if necessary.

# Skin contact

Remove contaminated clothing immediately.

Clean contaminated skin, wash with plenty of water, then wash with water and mild soap.

according to Regulation (EU) 2020/878 of 18 June 2020

# **Interior Quick Detailer**

Date of compilation: 31.05.2021 Revision: Page: 3/9

If skin irritation persists, consult a doctor.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

First aid supplies should be available on the workplace premises.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Fire-fighting foam, carbon dioxide CO<sub>2</sub>, fire-extinguisher powders, dispersed water

### Unsuitable extinguishing media

Do not direct dense jets of water onto the surface of a burning product.

### 5.2. Special hazards arising from the substance or mixture

#### **Combustion products**

Toxic thermal decomposition products, as well as carbon monoxide and carbon dioxide (COx).

### **Explosive mixtures**

Not applicable

### 5.3. Advice for firefighters

Use standard firefighting methods for extinguishing chemical fires.

Use water to cool containers exposed to high temperatures, and if possible, remove them from the area affected.

Use water spray jets to disperse vapours.

### Fire-fighter protective equipment

Full personal protective equipment.

Self-contained breathing equipment.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid contact with eyes and skin. Wear appropriate protective equipment. Remove all sources of ignition. Keep all persons not equipped with personal protection equipment away.

In case of a discharge of a significant volume of the mixture, warn its users and order all bystanders to leave the contaminated area.

Risk of slipping on spilt product.

# 6.2. Environmental precautions

Prevent environmental contamination.

Protect drains.

In case of serious contamination of soil, watercourse or sewage system, notify the appropriate authorities.

# 6.3. Methods and material for containment and cleaning up

Secure any damaged packaging.

Ventilate the area affected and avoid inhaling vapours.

Collect with absorbent material (e.g. sand, earth, diatomaceous earth, vermiculite).

Place all contaminated mass collected in a substitute container and send it for disposal in accordance with the local regulations.

Rinse the contaminated surface with plenty of water.

#### 6.4. Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

according to Regulation (EU) 2020/878 of 18 June 2020

# **Interior Quick Detailer**

Date of compilation: 31.05.2021 Revision: Page: 4/9

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

# Recommendations for handling the mixture

Provide adequate ventilation.

Avoid contact with eyes and skin.

Avoid inhaling product vapours/spray.

# General industrial health and safety regulations

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.

Replace contaminated clothing.

Wash contaminated clothing before reusing.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage rooms must be ventilated.

Keep container tightly closed.

Store in a dry and cool place.

Keep only in the original container.

Keep away from sunlight, as well as heat and ignition sources.

Do not store together with foodstuffs and animal feed.

Read the safety data sheet.

# 7.3. Specific end use(s)

No data available

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

Ingredients with limit values that require monitoring at the workplace

Name of the chemical agent		Limit values						
	CAS	Lo	Long-term 2		Short-term Comment			
		ppm	mg/m³	ppm	mg/m³			
Propan-2-ol	67-63-0	400	999	500	1250	=		

#### **DNEL**

Propan-2-ol

Workers, long-term exposure, skin: 888 mg/kg bw/day Workers, long-term exposure, inhalation: 500 mg/cm<sup>3</sup> Consumers, long-term exposure, skin: 319 mg/kg bw/day Consumers, long-term exposure, inhalation: 89 mg/cm<sup>3</sup> Consumers, long-term exposure, skin: 319 mg/kg bw/day

### **PNEC**

Propan-2-ol

Fresh water: 140,9 mg/l Sea water: 140,9 mg/l

freshwater sediment: 552 mg/kg seawater sediment: 552 mg/kg

Soil: 28 mg/kg

according to Regulation (EU) 2020/878 of 18 June 2020

# **Interior Quick Detailer**

Date of compilation: 31.05.2021 Revision: Page: 5/9

### 8.2. Exposure controls

### **Appropriate engineering controls**

Workstations and storage rooms must be well ventilated to keep the vapour concentrations in the air below their limit values.

### Individual protection measures



#### Eye or face protection

Use safety goggles compliant with the EN 166 standard.

## Skin protection



## **Hand protection**

Use chemical-resistant protective gloves compliant with the EN 374 standard.

Select glove material based on breakthrough time, rate of penetration and degradation.

It is recommended to change gloves regularly and immediately replace them if they have any signs of wear, damage (tears, holes) or their appearance changes (colour, flexibility, shape).

# **Body protection**

Suitable protective clothing.

The type of protective equipment must be selected based on the quantity and concentration of hazardous substances in the given work environment.

#### **Respiratory protection**

If proper ventilation is provided, respiratory protection equipment is not required.

In case of hazard due to the mixture vapours levels exceeding allowable levels in the air (e.g. due to ventilation failure), wear respiratory protection equipment.

### **Environmental exposure controls**

Do not discharge into drains and groundwater.

## General health and safety guidelines

Follow good personal hygiene practices.

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state Liquid

**Colour** No data available

**Odour** Characteristic for the fragrance used

Melting point/freezing point No data available

Boiling point or initial boiling point and boiling No data available

range

**Flammability** No data available Lower and upper explosion limit No data available Flash point No data available **Auto-ignition temperature** No data available **Decomposition temperature** No data available рΗ No data available Kinematic viscosity No data available Solubility No data available Partition coefficient n-octanol/water (log value) No data available

according to Regulation (EU) 2020/878 of 18 June 2020

# **Interior Quick Detailer**

Date of compilation: 31.05.2021 Revision: Page: 6/9

Vapour pressureNo data availableDensity and/or relative densityNo data availableRelative vapour densityNo data availableParticle characteristicsNo data available

9.2. Other information

Information with regard to physical hazard classes

No data available

Other safety characteristics

No data available

### **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

The mixture is not chemically reactive if stored and used under proper conditions.

#### 10.2. Chemical stability

The mixture is chemically stable if stored and used under proper conditions.

#### 10.3. Possibility of hazardous reactions

No data available

#### 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

No data available

# 10.6. Hazardous decomposition products

Not present when handled as intended.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Acute toxicity

Based on available data, the classification criteria are not met.

Propan-2-ol

LD50 (oral): > 2000 mg/kg (for 100% isopropanol)

LD50 (skin): > 2000 mg/kg (for 100% isopropanol)

LC50 (inhalation): > 5 mg/l (for 100% isopropanol)

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

# Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

# Germ cell mutagenicity

Based on available data, the classification criteria are not met.

## Carcinogenicity

Based on available data, the classification criteria are not met.

### Reproductive toxicity

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

#### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

according to Regulation (EU) 2020/878 of 18 June 2020

# **Interior Quick Detailer**

Date of compilation: 31.05.2021 Revision: Page: 7/9

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### **Endocrine disrupting properties**

No data

#### Other information

No data

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

Propan-2-ol

Ecotoxicity (for 100% isopropanol):

Toxicity to fish:

LC50: >100 mg/l/48h

Daphnia toxicity:

EC50 (Daphnia magna): 100mg/l/48h

Toxicity to algae:

EC50 (Scenedesmus subspicatus): > 100 mg/l/72h

# 12.2. Persistence and degradability

Surfactants used in the product meet the biodegradability requirements in accordance with Regulation (EC) no 648/2004/EC as amended.

Propan-2-ol

Isopropanol is readily biodegradable:> 70% after 10 days

# 12.3. Bioaccumulative potential

Propan-2-ol

LogPow = 0.05

# 12.4. Mobility in soil

No data

# 12.5. Results of PBT and vPvB assessment

This mixture does not contain substances that meet the criteria for PBT or vPvB in accordance with Annex XIII.

# 12.6. Endocrine disrupting properties

No data

#### 12.7. Other adverse effects

No data

### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Dispose of in accordance with current regulations.

Hand over any used packaging to an authorised company for disposal or reuse.

Do not release into the environment.

# **SECTION 14: Transport information**

### 14.1. UN number or ID number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

not applicable

not applicable

not applicable

according to Regulation (EU) 2020/878 of 18 June 2020

# **Interior Quick Detailer**

Date of compilation: 31.05.2021 Revision: Page: 8/9

Label no. : not applicable

14.4. Packing group not applicable

14.5. Environmental hazards No

14.6. Special precautions for user not applicable

14.7. Maritime transport in bulk according to not applicable

### **SECTION 15: Regulatory information**

**IMO** instruments

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1272/2008 (CLP) of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (REACH).
- REGULATION (EC) No 1907/2006 OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
- COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

# 15.2. Chemical safety assessment

No mixture chemical safety assessment has been carried out.

### **SECTION 16: Other information**

# Full text of H-phrases mentioned in section 3:

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.

**H336** May cause drowsiness or dizziness.

Classification procedures according to Regulation (EC) 1272/2008

Classification based on calculation procedure.

# Abbreviations and Acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

PP: Severe Marine Pollutant

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Note to readers

according to Regulation (EU) 2020/878 of 18 June 2020

# **Interior Quick Detailer**

Date of compilation: 31.05.2021 Revision: Page: 9/9

The product described in the safety data sheet should be stored and used in accordance with good industrial practices and in compliance with all applicable legal regulations.

The information contained in the safety data sheet is based on the current state of knowledge and is intended to describe the product in terms of health, safety and environmental regulations. It should not be considered a guarantee of any specific product properties.

We cannot make any representations or warranties regarding the accuracy or completeness of any information provided or the quality or specifications of any products, substances or mixtures discussed herein.

The user is responsible for creating conditions for the safe use of the product and for the consequences of its misuse.

Przedsiębiorstwo EKOS S.C.

80-177 Gdańsk, ul. Lubczykowa 5,

ekos@ekos.gda.pl

www.ekos.gda.pl